

PRODUCT CATALOG



Gas Furnaces

R921V Endeavor® Line Classic® Series	1
R951V Endeavor® Line Classic Plus® Series Ultra Low NOx Gas Furnace	2
R962\/ Endeavor® Line Classic Plus® Series	•

GAS FURNACES

R921V Endeavor™ Line Classic® Series Gas Furnace



- 92% A.F.U.E.
- EcoNet® Enabled
- Heating Stages: Single Stage
- Motor Type: Constant CFM
- Input Rates: 40 to 115 kBTU [11.7 to 33.7
- Configuration Options: 4-Way Multi-Position

Limited Warranty

- Conditional Parts (Registration Required): Ten (10) Years
- Heat Exchanger: Limited Lifetime

R921V Endeavor® Line Classic® Series

FEATURES

Features and Benefits

- PlusOneTM Energy Efficiency: US South ENERGY STAR® certified, featuring 92% AFUE across all model sizes
- PlusOne[™] Diagnostics: With the Rheem Contractor & EcoNet® Apps, built-in EcoNet® & Bluetooth technology makes monitoring, troubleshooting and repairing the product easier than ever before
- Dip Switch Free Installation Commissioning via Bluetooth Technology: Seamless final install step without DIP switch configuration using the Rheem Contractor App
- PlusOne[™] Ignition System: Proven Direct Spark Ignition (DSI) for reliability and longevity
- PlusOne[™] Water Management System: Rheem-exclusive patented block drain sensor that automatically shuts off the furnace when the drain is blocked, and also alerts the contractor via diagnostic code
- Constant CFM Motor: Truly variable speed technology allows for ultimate humidity control, quieter sound levels and year-round energy savings
- Quieter Operation: A fully insulated blower cabinet, solid bottom and truly variable speed airflow technology makes this furnace one of the quieter options available
- EcoNet® Enabled Furnace: The latest in sensor technology and the EcoNet® monitoring system provides a new level of protection, control and energy savings
- Allows on-the-go control and receipt of system alerts by the homeowner via the EcoNet® Smart Thermostat and EcoNet® App

SKU	Input	Output	Height	Depth	Width	Ship Weight	AFUE	Motor	Price
R921V0403A17M4SCAP	42000	39900	34	29-5/8	17-1/2	123.5	92.00	ECM	
R921V0603A17M4SCAP	56000	53200	34	29-5/8	17-1/2	128.0	92.00	ECM	
R921V0703A17M4SCAP	70000	66500	34	29-5/8	17-1/2	132.0	92.00	ECM	
R921V0705A21M4SCAP	70000	66500	34	29-5/8	21	147.5	92.00	ECM	
R921V0855A21M4SCAP	84000	79800	34	29-5/8	21	147.5	92.00	ECM	
R921V1005A21M4SCAP	98000	93100	34	29-5/8	21	152.0	92.00	ECM	
R921V1155A24M4SCAP	112000	106400	34	29-5/8	24-1/2	165.0	92.00	ECM	



GAS FURNACES

R951V Endeavor® Line Classic® Series Ultra Low NOx



- 95% A.F.U.E.
- EcoNet® Enabled
- Heating Stages: Single Stage
- Motor Type: Constant CFM
- Input Rates: 60 to 100 kBTU [17.5 to 29.3 kW/l
- Configuration Options: 4-Way Multi-Position

Limited Warranty

- Conditional Unit Replacement (Registration Required): Ten (10) Years
- Heat Exchanger: Limited Lifetime
- Parts: Ten (10) Years

R951V Endeavor® Line Classic Plus® Series Ultra Low NOx Gas Furnace

FEATURES

Features and Benefits

- Ultra Low Greenhouse Gas Emissions: Certified unit meets 14ng/j NOx emission standard – reducing NOx emissions by 65%
- PlusOne™ Energy Efficiency: ENERGY STAR® certified, featuring 95% AFUE across all model sizes
- PlusOne™® Diagnostics: With the Rheem Contractor & EcoNet® Apps, built-in EcoNet® & Bluetooth®1 technology makes monitoring, troubleshooting and repairing the product easier than ever before
- Dip Switch Free Installation Commissioning via Bluetooth® Technology: Seamless final install step without DIP switch configuration using the Rheem Contractor App
- PlusOne[™] Ignition System: Proven Direct Spark Ignition (DSI) for reliability and longevity
- PlusOne[™] ® Water Management System: Rheem-exclusive patented block drain sensor that automatically shuts off the furnace when the drain is blocked, and also alerts the contractor via diagnostic code
- Constant CFM Motor: Truly variable speed technology allows for ultimate humidity control, quieter sound levels and year-round energy savings
- Constant CFM Motor: Truly variable speed technology allows for ultimate humidity control, quieter sound levels and year-round energy savings
- EcoNet® Enabled Furnace: The latest in sensor technology and the EcoNet® monitoring system provides a new level of protection, control and energy savings
- Allows on-the-go control and receipt of system alerts by the homeowner via the EcoNet® Smart Thermostat and EcoNet® App

SKU	Input	Output	Height	Depth	Width	Ship Weight	AFUE	Motor	Price
R951V0403A17M4UCAP	42000	39900	37-1/8	29-5/8	17-1/2	143.0	95.00	ECM	
R951V0403A17UHUCAP	42000	39900	37-3/8	29-5/8	17-1/2	143.0	95.00	ECM	
R951V0603A17M4UCAP	56000	53200	37-1/8	29-5/8	17-1/2	143.5	95.00	ECM	
R951V0603A17UHUCAP	56000	53200	37-1/8	29-5/8	17-1/2	143.5	95.00	ECM	
R951V0705A21M4UCAP	95000	90250	37-1/8	29-5/8	21	168.5	95.00	ECM	
R951V0705A21UHUCAP	95000	90250	37-1/8	29-5/8	21	168.5	95.00	ECM	
R951V1005A21M4UCAP	95000	90250	37-1/8	29-5/8	21	170.5	95.00	ECM	
R951V1005A21UHUCAP	95000	90250	37-1/8	29-5/8	21	170.5	95.00	ECM	



GAS FURNACES

R962V Endeavor® Line Classic® Plus Series



- 96% A.F.U.E.
- EcoNet® Enabled
- Heating Stages: Two-Stage
- Motor Type: Constant CFM
- Input Rates: 40 to 115 kBTU [11.7 to 33.7 kW]
- Configuration Options: 4-Way Multi-Position

Limited Warranty

- Conditional Unit Replacement (Registration Required): Ten (10) Years
- Heat Exchanger: Limited Lifetime
- Conditional Parts: Ten (10) Years

R962V Endeavor® Line Classic Plus® Series

FEATURES

Features and Benefits

- PlusOne[™] Energy Efficiency: ENERGY STAR® certified, featuring 96% AFUE across all model sizes
- PlusOne[™] Diagnostics: With the Rheem Contractor & EcoNet® Apps, built-in EcoNet® & Bluetooth technology makes monitoring, troubleshooting and repairing the product easier than ever before
- Dip Switch Free Installation Commissioning via Bluetooth Technology: Seamless final install step without DIP switch configuration using the Rheem Contractor App
- PlusOne[™] Ignition System: Proven Direct Spark Ignition (DSI) for reliability and longevity
- PlusOne[™] Water Management System: Exclusive patented block drain sensor that automatically shuts off the furnace when the drain is blocked and alerts the contractor via diagnostic code
- Two-Stage Heating: Furnace operation mainly stays at low capacity around 60-65%, but will switch to high capacity to deliver stable heat distribution
- Constant CFM Motor: Truly variable speed technology allows for ultimate humidity control, quieter sound levels and year-round energy savings
- Quieter Operation: A fully insulated blower cabinet, solid bottom and truly variable speed airflow technology makes this furnace one of the quieter options available
- EcoNet® Enabled Furnace: The latest in sensor technology and the EcoNet® monitoring system provides a new level of protection, control and energy savings
- Allows on-the-go control and receipt of system alerts by the homeowner via the EcoNet® Smart Thermostat and Econet® App

SKU	Input	Output	Height	Depth	Width	Ship Weight	AFUE	Motor	Price
R962V0403A17M4SCAP	42000	29400	34	29-5/8	17-1/2	123.0	96.00	ECM	
R962V0603A17M4SCAP	56000	39200	34	29-5/8	17-1/2	128.0	96.00	ECM	
R962V0703A17M4SCAP	70000	49000	34	29-5/8	17-1/2	133.5	96.00	ECM	
R962V0855A21M4SCAP	84400	58800	34	29-5/8	21	150.0	96.00	ECM	
R962V1005A21M4SCAP	98000	68600	34	29-5/8	21	155.0	96.00	ECM	
R962V1155A24M4SCAP	112000	78400	34	29-5/8	24-1/2	190.0	96.00	ECM	





Rheem Heating & Cooling



Visit Rheem.com

5600 Old Greenwood Road, Fort Smith, AR 72908
Rheem manufactures residential & commercial heating, cooling
and water heating products. "In keeping with its policy of
continued progress and product improvement, Rheem reserves
the right to make changes without notice."

Form No. M11-1425